

planeo Rapid-Spachtel

Ref. 130000006156/

Rev. no.

Revision Date 28.08.2019 Print Date 08.10.2019

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

1.1 Product identifier

Trade name F&P GmbH

1.2 Relevant identified uses of the substance or mixture and uses advised against

Powder coating

Uses advised against

This information is not available.

1.3 Details of the supplier of the safety

data sheet

F&P GmbH

Max-Planck-Str. 111 D - 32107 Bad Salzuflen

Telephone: +49 5222 96048-10 Telefax: +49 5222 96048-20

www.planeo.de

E-mail address of person

responsible for the SDS

European Union

info@planeo.de

1.4 Emergency telephone number

European Union

Phone: +44 (0)1235 239 670

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Skin sensitisation, Category H317: May cause an allergic skin reaction.

1

Serious eye damage,

Category 1

H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

|--|--|--|

	•	•		
Signal word	Danger			
Hazard statements	H315 H317 H318	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.		
Precautionary statements	P102 Prevention:	Keep out of reach of children.		
Statements	P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.		
	Response:			
	•	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
	P315	Get immediate medical advice/ attention.		
	P302 + P352	IF ON SKIN: Wash with plenty of soap and water.		
	P332 + P313	If skin irritation occurs: Get medical advice/ attention.		
	P362 + P364	Take off contaminated clothing and wash it before reuse.		

Hazardous components which must be listed on the label:

portland cement

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Mortar/render has an alkaline reaction with water. Therefore protect your skin and eyes. Wash thoroughly with water in case of skin contact. Immediately consult a doctor in case of contact with eyes!

Risk of infection of the lung after prolonged inhalation of dust particles.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration (%
	EC-No.	(REGULATION (EC)	w/w)
	Registration number	No 1272/2008)	ŕ
portland cement	65997-15-1 266-043-4	Eye Dam.1; H318 STOT SE3; H335 Skin Irrit.2; H315 Skin Sens.1B; H317	≥ 2,5 - < 5

For explanation of abbreviations see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice When symptoms persist or in all cases of doubt seek

medical advice.

Inhalation Move to fresh air.

If symptoms persist, call a physician.

Skin contact Take off contaminated clothing and shoes immediately.

Wash off immediately with soap and plenty of water.

If symptoms persist, call a physician.

Wash clothing before reuse.

Eye contact In case of eye contact, remove contact lens and rinse

immediately with plenty of water, also under the eyelids, for

at least 15 minutes.

If possible, use isotonic eye rinse solution (e.g. 0,9% NaCl).

Do not rub affected area. Call a physician immediately.

Ingestion Rinse mouth.

If conscious, drink plenty of water.

Do NOT induce vomiting. Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms Skin contact may provoke the following symptoms:

May cause skin irritation and/or dermatitis.

Risk of serious damage to eyes.

planeo Rapid-Spachtel

Inhalation may provoke the following symptoms:

Cough

Irritating to respiratory system.

Treatment Treat symptomatically.

No information available.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing

media

The product is not flammable.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

Not applicable

5.2 Special hazards arising from the

substance or mixture

The product is neither explosive nor combustible and is also

not oxidising in relation to other materials.

5.3 Advice for No special measures required. firefighters

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal

precautions, protective

equipment and

emergency procedures

6.2 Environmental

precautions

Avoid dust formation.

Use respiratory protective device against the effects of dust.

The product should not be allowed to enter drains, water

courses or the soil.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for

containment and

cleaning up

Use mechanical handling equipment.

Moisten and remove.

Avoid whirling up dust - vacuum-clean rooms instead of

sweeping.

Do not use compressed air for cleaning purposes.

Dispose of contaminated material as waste according to

item 13.

Clean contaminated surface thoroughly.

6.4 Reference to other

sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Avoid dust formation.

When handling sacked goods and using open mixing containers, first pour in water, then carefully allow the dry mortar to run in. Keep fall height low. Start up mixer slowly.

Do not compress empty sacks, e.g. in a larger sack. Large loads of over 25 kg should be moved not by hand but with the aid of mechanical equipment only. Depending on the employee's age, gender and constitution and the frequency with which loads are lifted and carried, they may also induce a high level of strain at lower weights. Do not kneel in fresh product while working.

Provide sufficient air exchange and/or exhaust in work

rooms

Do not re-use empty containers.

Hygiene measures When using do not eat, drink or smoke.

Wash hands before breaks and at the end of workday.

Avoid contact with the skin and the eyes.

Remove and wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and

containers

Store in original container. Keep in a dry place.

Advice on protection against fire and

explosion

When exposed to high temperatures may produce hazardous decomposition products such as carbon

monoxide and dioxide, fumes.

Further information on storage conditions

Protect from humidity and water.

Manufacturer's notes on storage conditions and product life

must be observed.

Advice on common

storage

No materials to be especially mentioned.

7.3 Specific end use(s) For further information, see also Technical Data Sheet for

the product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Contains no substances with occupational exposure limit values. The lists that were valid during the creation were used as basis.

8.2 Exposure controls

Appropriate engineering controls

To avoid dust formation, closed systems (e.g. silo with feed system), local extractors or other technical control devices should be used, e.g. plastering machines or continuous mixers with special auxiliary equipment for collecting dust.

Washing facilities / water for rinsing eyes and skin should be available. Maintain air concentrations below occupational exposure standards.

Individual protection measures, such as personal protective equipment

a) Eye/face protection Safety glasses with side-shields conforming to EN166

b) Skin protection Hand protection

Nitrile coated cotton gloves Break through time: 480 min Minimum thickness: 0.8 mm

Protective gloves complying with EN 388.

e.g. KCL 102 Sahara® Top (Kächele-Cama-Latex GmbH, Hotline: 0049(0)6659-87-300, kcl-uk@kcl.de), or equivalent. Gloves to afford protection from chemicals (cat. III) are not

required.

Soaked gloves should be changed. Keep replacement gloves available.

After washing hands, replenish lost skin oil by means of oily skin ointment.

Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.

Body Protection Long sleeved clothing

c) Respiratory protection Avoid inhalation of particles.

Mixing and transferring dry mortars in open systems:

Compliance with the maximum permissible levels at the workplace is to be ensured by effective dust control measures, e.g. local extraction devices. Where this is not possible, particle-filtering half masks of type FFP2 (tested in

accordance with EN 149) are to be used.

Manual working of ready-to-use mortar: No respiratory

protection necessary.

Machining of mortar: No respiratory protection necessary.

Environmental exposure controls

General advice The product should not be allowed to enter drains, water

courses or the soil.

If the product contaminates rivers and lakes or drains

inform respective authorities.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance powder

Colour white

Odour characteristic

Odour Threshold No data available

рН > 11.5

(aqueous suspension)

Melting point/freezing point Not applicable

Initial boiling point and

boiling range

not applicable

Flash point not applicable

Evaporation rate not applicable

Flammability (solid, gas) The product is not flammable.

Upper explosion limit / Upper flammability limit not applicable

not applicable

Lower explosion limit /

Lower flammability limit

No data available Vapour pressure

Vapour density No data available

ca. 2,527 g/cm³ (23 °C) Density

Solubility(ies)

planeo Rapid-Spachtel

Water solubility slightly soluble

Partition coefficient: n-

octanol/water

not determined

Auto-ignition temperature not auto-flammable

Decomposition

temperature

No data available

Viscosity

Viscosity, dynamic not applicable

Explosive properties Not explosive

Oxidizing properties Not applicable

9.2 Other information

Flow time not applicable

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions This information is not available.

10.4 Conditions to avoid

Conditions to avoid Avoid exposure to water and moisture during storage

(moisture leads to an alkaline reaction which causes the

mixture to harden).

10.5 Incompatible materials

Materials to avoid Reacts exothermically with acids; the moist product is

alkaline and reacts with acids, ammonium salts and base metals, e.g. aluminium, zinc, brass. The reaction

with base metals produces hydrogen.

10.6 Hazardous decomposition products

Hazardous decomposition No decomposition if stored and applied as directed.

products

Decomposition temperature

No data available

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity

Based on available data, the classification criteria are

not met.

Acute inhalation toxicity

Based on available data, the classification criteria are

not met.

Acute dermal toxicity

Based on available data, the classification criteria are

not met.

Skin corrosion/irritation

Product:

Causes skin irritation.

Components:

portland cement:

Causes skin irritation.

Serious eye damage/eye irritation

Product:

Causes serious eye damage.

Components:

portland cement:

Causes serious eye damage.

Respiratory or skin sensitisation

Product:

May cause an allergic skin reaction. Does not cause respiratory sensitisation.

Components:

portland cement:

May cause an allergic skin reaction.

Germ cell mutagenicity

Product:

Genotoxicity in vitro Based on available data, the classification criteria are

not met.

Carcinogenicity

Product:

Based on available data, the classification criteria are

not met.

Reproductive toxicity

Product:

Effects on fertility Based on available data, the classification criteria are

not met.

Developmental Toxicity Based on available data, the classification criteria are

not met.

STOT - single exposure

Product:

Based on available data, the classification criteria are

not met.

Components:

portland cement:

Exposure routes Inhalation

Assessment May cause respiratory irritation.

STOT - repeated exposure

Product:

Based on available data, the classification criteria are

not met.

Aspiration toxicity

Product:

Based on available data, the classification criteria are not met.

Experience with human exposure

Product:

General Information Cement may exacerbate existing illnesses of the skin,

eyes and respiratory passages, e.g. in case of

pulmonary emphysema or asthma.

Further information

Product:

The product itself has not been tested. The mixture is classified in accordance with Annex I to EC Directive

1272/2008. (See sections 2 and 3 for details).

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Product:

Toxicity to fish No data available

12.2 Persistence and degradability

Product:

Biodegradability No data available

12.3 Bioaccumulative potential

Product:

Bioaccumulation No data available

12.4 Mobility in soil

Product:

Mobility Not applicable

12.5 Results of PBT and vPvB assessment

Product:

Assessment This substance/mixture contains no components

considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative

(vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Additional ecological

information

Eco-toxic effects, in particular aquatic toxicity, are only possible when larger quantities are released into water resulting in a change of the pH-value. Do not flush into

surface water or sanitary sewer system.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product The user is responsible for proper coding and marking of

any waste.

When used as recommended, the waste code can be selected according to the code of the European Waste

Catalogue (EWC).

Opened and left-over materials can be used later. Only material no longer suitable for use should be mixed with

water and allowed to harden.

Hardened product residues may be disposed of as industrial waste or building rubble under waste codes 17 01 01 or 10

13 14.

planeo Rapid-Spachtel

Unhardened product residues should be disposed of under

the recommended waste code number.

Contaminated packaging Packaging that is not properly emptied must be disposed of

as the unused product.

Empty packaging should be recycled through disposal

systems.

Waste key for the unused product

17 09 03* other construction and demolition wastes (including mixed wastes) containing hazardous substances

(*) hazardous waste in terms of the European directive

2008/98/EG

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks This information is not available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks Not applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC

Directive 2004/42/EC

does not fall under Directive 2004/42/EC

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals Not applicable

Other regulations

Comply with the statutory regulations on health and safety at

work.

Take note of Dir 94/33/EC on the protection of young people

at work.

Take note of Dir 92/85/EEC on the safety and health at work

of pregnant workers.

The cement in the product is chromate-reduced. Persons with a chromate allergy should not handle the product.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: OTHER INFORMATION

Changes from the previous version are indicated by markings in the left-hand margin.

The information in this Safety Data Sheet corresponds to our present state of knowledge and conforms to both national and EU legislation. The user's working conditions are, however, beyond our knowledge and control. The user is responsible for complying with all necessary legal requirements. The information in this Safety Data Sheet describes the safety requirements of our product and does not constitute any assurance of product properties.

Full text of H-Statements

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H335 : May cause respiratory irritation.

Full text of other abbreviations

Eye Dam. : Serious eye damage

Skin Irrit. : Skin irritation Skin Sens. : Skin sensitisation

STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP -Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response: ELx - Loading rate associated with x% response: EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail: SADT - Self-Accelerating Decomposition Temperature: SDS -Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information

The assessment was carried out in accordance with Article 6 (5) and Appendix I of EC Directive no. 1272/2008.

It is possible in the interim period that you may find different markings on packaging compared to the Material Safety Data Sheet until stocks have been used up. We ask for your understanding in this matter.

Department issuing MSDS REG_EU / EN

info@planeo.de